




कार्यालय नगर निगम जोधपुर- दक्षिण
पोलिटेक्निक कॉलेज परिसर के अन्दर, गौरव पथ, जोधपुर

फोन फोन संख्या :- 0291-2651491 हेल्पलाइन :- 0291-2651473 e-mail: ceo_nnj@rediffmail.com



दिनांक:- 05/05/2025

क्रमांक:- एफ15/रो./कार्य/2025/RL-15767

निविदा सूचना

U.B. No.DLB2526WSOB03852

जोधपुर नगर निगम दक्षिण में पंजीकृत संवेदक/अन्य विभागों में पंजीकृत (E-EWSD-I) अनुमती संवेदको, से सिलबन्द निविदाये आमंत्रित की जाती हैं। निविदाये प्रत्येक मद के आगे अंकित तिथि तक दोपहर 11 बजे तक बेची जायेगी एवं अंकित दिनांक को दोपहर 12 बजे तक प्राप्त की जायेगी। निविदाये उसी दिनांक को उपस्थित संवेदको के समक्ष दोपहर 2 बजे तक खोली जायेगी। निविदा शुल्क के साथ धरोहर राशि डीडी/बैंकर चेक/रोकड़ जमा करने के पश्चात् ही निविदा प्रपत्र जारी किया जायेगा। बिना धरोहर राशि/सशर्त निविदा अमान्य होगी। राजकीय एवं स्थानीय अवकाश होने पर निविदा स्वतः आगामी दिनांक को बेची जाकर प्राप्त कर खोली जायेगी।

क्र.सं.	कार्य का नाम	अनु.लागत लाखों में	धरोहर राशि रुपये	निविदा प्रपत्र मूल्य	कार्य करने की अवधि
01	फायर ऑफिस शास्त्री नगर, ऑफिस बिल्डिंग व अन्य ऑफिस बिल्डिंग्स में AC लगाने का कार्य	4.96	9920/-	200/-	
02	नगर निगम में आगामी त्योहारों व पर्वों में अस्थाई लाइट लगाने हेतु	5.00	10000/-	200/-	
03	नगर निगम जोधपुर-दक्षिण वार्ड सं. 4 में LED लाइट लगाने का कार्य	2.00	4000/-	200/-	
04	Regular O&M of 80KW Solar System at MCJ Office Building	4.96	9920/-	200/-	

निविदा बेचने की अवधि	दिनांक 13/5/25 11 बजे तक
निविदा प्राप्त कर खोलने की तिथि	दिनांक 13/5/25 1.00 बजे

यह निविदा वेबसाइट www.sppp.raj.nic.in एवं Jodhpurmc.org पर देखी जा सकती है।

(सिद्धार्थ पालानीचामी)
I.A.S.

आयुक्त
नगर निगम जोधपुर (दक्षिण)

दिनांक :- 05/05/2025

क्रमांक :- RL-15768 to 15771

प्रतिलिपि :- द्विगुणित को भेजकर लेख है कि आगामी अंक में नियमानुसार प्रकाशित कर बिल

- सम्पादक भुगतान हेतु प्रस्तुत करें।
- लेखाधिकारी नगर निगम, (दक्षिण) जोधपुर।
- बिल लिपिक, नगर निगम, (दक्षिण), जोधपुर।
- नोटिस बोर्ड, नगर निगम, (दक्षिण) जोधपुर।

Signature valid

Digitally signed by Siddharth Palanichamy
Designation: Commissioner
Date: 2025.05.05 19:57:24 IST
Reason: Approved




Jodhpur Municipal Corporation (South), Jodhpur

Name of
work:-

Supply and Installation of AC in Fire office Shastri Nagar, Office building and other office building of
Nagar Nigam South Jodhpur.

RUIDP-2023

		Schedule	("G" Schedule)			
Sn.	CODE No	PARTICULARS	QTY.		RATE	AMOUNT
1	71.24	Supply, Installation, Testing and Commissioning of Inverter type Air Cooled Hi Wall split type Air conditioners with latest star rating system as per BEE amended upto date complete with Indoor unit(IDU), Out door unit (ODU), surface / concealed copper Refrigerant piping with insulation (closed cell elastomeric nitrile rubber tubular pipe section) upto 3 Mtr (IDU to ODU), copper power cable upto 3.5 Mtr (IDU to ODU), R-32/R-410 Green Refrigerant, wireless Remote control, suitable for working between 230V +/- 10% with low & high voltage cutoff and 50 hz , single phase AC supply capable of performing cooling, dehumidification, air circulation of following capacity with Scroll / rotary compressor. All as per pre approved by Engineer in-charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .				
	71.24.7	2.0 TR ISEER not less then 3.8	7	Nos	65,324.00	Each 457268
2	48.4	Stabilisers				
	48.4.1	Supply, Fixing and testing of following capacity wall mounted stabilisers having output voltage variation from 200V to 250V(+/-5%) with input voltage variation from 170V to 260V, time delay facility from 2 to 4 minute and high cutoff at 270V complete in all respect				
	48.4.1.3	5 kVA	7	Mtr	4023.00	Each 28161
3	55.13	P&F metal clad / Plastic industrial plug top & socket unit with pin and sleeve type contact on porcelain/ bakelite base in Recessed/surface mounting heavy duty Enclosure made out from Galvanized steel / CRCA sheet not less then 1.2 mm thick conforming to IS-8623-1 & 3 / IEC 61439- 1 & 3. powder painted (without MCB) including making connections, testing etc.as required.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR				
	55.13.1	20 amp, 2 pin + scrapping Earth, 1 Module	7	Nos	1,311.00	Each 9177
4	55.1	Providing & Fixing of 240/415 V AC MCB with positive isolation of 10 kA breaking capacity (B/ C/D tripping characteristic as per type of load and site requirement) 4 KV impulse withstand voltage, ISI marked IS 8828(1996) / conforming to IEC 60898-1 2002, IEC 60947-2, low watt losses, trip free mechanism , energy limiting of class 3 as per IEC, minimum phase termination capacity of 35sq.mm. , conductor line load reversibility , IP 20 contact protection and fitted in existing distribution board/sheets, minimum electrical operation 20,000 upto 20 A rating and 10,000 upto 63 A, 5000 for 80 A & above rating including making connections, testing etc. as required. OEM shall have submit NABL / CPRI / ERDA accredited lab type test reports & All as per pre approved by Engineer in-charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR				
	55.1.1	Single pole MCB (With B/C curve tripping Characteristics)				
	55.1.1.2	6 A to 32 A rating	7	Nos	192.00	Each 1344
		TOTAL G Schedule				495950.00
		Say				4.96 lakh


XEN(Elect)
JMC

I agree to do above "G" Schedule work @ above/below on RUIDP 2023 electric with JMC terms and conditions..

Signature of Contractor



JODHPUR MUNICIPAL CORPORATION (South), JODHPUR


Work: Hire for Temporary Lighting in JMC South Area. (Various Festivals & Functions)

RUIDP 2023

Schedule

Part A ("G" Schedule)

S.No.	Code	Item	Qty	Unit	Rate		Amount
1	74.4	Hire charges for IP 66 protected programmable RGB LED flood light with aluminium alloy housing and having 180 degree bracket adjustment complete with driver switchgear , wiring, connection , testing etc. with skilled operator to operate system as and when etc as required. (If work continue for more then one day , rates for next subsequent days will be 50% of the original rates.)					
	74.4.1	100 watt	50	Nos	522.00	Each P. Day	26100.00
	74.4.2	150 watt	55	Nos	590.00	Each P. Day	32450.00
2	74.21	Hire charges of niwar patti with skilled operator to operate system as and when etc as required. (If work continue for more then one day , rates for next subsequent days will be 50% of the original rates.)					
	74.21.2	niwar patti 50 no. 0.25 v LED miniature lamps.	1000	Nos	21.00	Each P. Day	
		For 3 days	3000	Nos	21.00	Each P. Day	63000.00
3	74.27	Hire charges for Silent type D.G. Set, including change over switch. Control panel etc. and excluding POL with skilled operator to operate system as and when etc as required. of following capacity:					
	74.27.3	62.5 KVA	2	Nos	5213.00	Each P. Day	10426.00
	74.27.5	125 KVA	5	Nos	8689.00	Each P. Day	43445.00
4	74.32	Supply and filling of POL for DG sets	13850	KVA	17.00	KVA/Hour	235450.00
5	74.28	Hire charges of Main service line for 3 phase connection upto 50 mtr. Length (without any joint) including meter board, panel/distribution Board and supports with skilled operator to operate system as and when etc as required. (If work continue for more then one week , rates for next subsequent weeks will be 50% of the original rates.)					
	74.28.1	Upto 25.0 sq.mm size PVC insulated and Sheathed cable(Armoured or Un-armoured as required.)	50	Nos	260.00	Each P. Week	13000.00
	74.28.2	above 25.0 sq.mm & upto 95 Sq.mm PVC insulated and Sheathed cable(Armoured or Un-armoured as required.)	60	Nos	391.00	Each P. Week	23460.00
	74.28.3	above 95.0 sq.mm PVC insulated and Sheathed cable(Armoured or Un-armoured as required.)	10	Nos	695.00	Each P. Week	6950.00
6	74.29	Hire charges of Sub service line for single/ three phase connection upto 30 mtr. Length including dist. Board and supports with skilled operator to operate system as and when etc as required. (If work continue for more then one week , rates for next subsequent weeks will be 50% of the original rates.)					
	74.29.1	Single phase upto 6 Sqmm PVC insulated and Sheathed cable	200	Nos	70.00	Each P. Week	14000.00
	74.29.2	Three phase & neutral upto 10 SqmmPVC insulated and Sheathed cable	100	Nos	139.00	Each P. Week	13900.00
7	74.47	Hire charges for spot /palican lights (1000 watt) for stage function with dimmer as required. (If work continue for more then one day , rates for next subsequent days will be 50% of the original rates.)	50	Nos	347.00	Each P. Day	17350.00
Total (Rs.) Part A							499531.00
Say (Rs.)							5 lacs


XEN(Elect)
JMC

I agree to do above "G" Schedule work Above/ Below RUIDP 2023 and JMC terms and conditions..

Signature of Contractor



Jodhpur Municipal Corporation (South), Jodhpur

Name of
work:-

Supply and fixing LED lights in ward 4 in nagar nigam south jodhpur.

RUIDP-2023

		Schedule	("G" Schedule)				
S.no.	CODE no	PARTICULARS	QTY.		RATE	AMOUNT	
1	67.12	Providing & Fixing of IK08, IP 66 protected LED Street Light Luminaire on existing bracket/pole. Fixture made of powder coated single piece pressure die cast aluminum material with heat dissipation fins on housing with UV stabilized PC (UV stablization report submitted for UV cover) /Toughened Glass cover and secondary lens on each LED & should be SMD type of 3 to 5 watt each . The System efficacy >=125 lm/ wt and potted driver & has a unique BIS R number with Input Voltage AC 120 to 270 V AC with High voltage Cutoff @>=300 V AC and Auto resetting Safety , Power Factor >0.95 driver Efficiency >85% ,THD(I) <10% Humidity 10% to 90% RH Working Temp -5C to 45C . driver current <750mA. The luminaire shall be BIS certified and Trade mark certified. Life Expectancy Equal or more than 50000 burning hrs with Minimum 70% lumen maintained , CRI >70 and CCT 5700K +355K. Surge protection shall be min ≥ 4 KV internal and min 10 KV external inside driver compartment. driver should be Phase to phase protection of 440 V for 4 Hrs. Manufactures Word Mark/Name Engraved/Embossing on die cast housing to allow traceability/authenticity. Fixture shall be AS PER IS 10322 Complianced OEM Must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79/LM80) Certificate/ report with liable warranty of product/accessories from OEM shall be submitted. All as per pre approved by Engineer in-charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	67.12.5	LED Street Light fixture with Minimum lumen output 8700 lm	29	Nos	5,993.00	Each	173797
2	67.18	Providing & Fixing of Street light bracket made out from following size of 'B ' class , Medium class G.I. Pipe confirming to IS : 1239 P - 1 (2004) with heavy duty pole clamp, Saddles suitable fastners etc. as required. All as per pre approved by Engineer in-charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
	67.18.3	32 mm Dia.	29	Mtr	761	Each	22069
3	53.6	Supply & drawing Wiring for sub mains ISI marked (IS:694) 1100 Volts grade PVC insulated flat twin core sheathed solid aluminium conductor with 10 SWG G.I. Support wire duly clipped etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	53.6.1	4.0 Sq. mm 2 core	65	Mtr	62	Each	4030
TOTAL G Schedule							199896.00
Say							2.00 lac

XEN(Elect)
JMC

I agree to do above "G" Schedule work @ above/below on RUIDP 2023 electric with JMC terms and conditions..

Signature of Contractor

Nagar Nigam (South), Jodhpur

Name of work:- Regular O&M of 80KW Solar System at MCJ Office Building.

RUIDP 2023

Schedule

Part A ("G" Schedule)

S.n.	CODEno	PARTICULARS	QTY.		RATE		AMOUNT
1	76.1	Supply, installation testing and commissioning of MNRE approved Grid tied Solar Panels with inverter, meter, cable etc. suitable for Rooftop installation as well as Unility Scale Solar Power Projects with 25 years of linear generation warranty, Work includes designing of solar panel area and MS frame and foundation on ground/roof of Pump house or CWR, showing arrangement of panel in available space. Installation of PV module on MS frame as per approved design and drawings. Mounting structure shall be suitably designed to withstand wind velocity up to 150km/hr. Grid Tie Transformer less inverters, Multiple independent MPPTs, Peak efficiency of >98%. Connect up to multiple strings PV arrays. Easy & fast connection, Built in string level monitoring, IP 65 protection level, Wi-Fi/ internet based remote monitoring with 5 years warranty. All cabling up to panel and metre, earthing etc. required accessories and taxes are inclusive. The work shall be executed as per detailed technical specifications, approved drawing and direction of Engineer in-charge. Note: There shall be 5 year service warranty for panel, inverter meter, cable etc, and suitable provision shall be included in tender document					
	76.1.1	Solar panels up to 10 KW at a single location	1600	Watt	60.00	Per Watt	96000.00
Total (G-Schedule)							96000.00

Part B ("H" Schedule)

S.n.	CODEno	PARTICULARS	QTY.		RATE		AMOUNT
1		Complete Operation and Maintenance of 80KW Solar Power Plant at Nigam Nigam Building. Regular cleaning of Solar Panel, frequent Maintenance of Thermal based component, yearly Service of HT Side equipment diagnostic testing, for low power production circuit testing IV curve tracking, testing imaging, earth valve measurement, rectro commissioning, data acquisition system check as per direction of engineering In-charge.	12	Nos			
2		One year License subscription charges for renewal of existing remote monitoring device for Roof top solar plant to monitor real time generation and data transmission on daily / monthly / yearly bases.	1	Nos			

XEN(Elect)
JMC

I agree to do above "G" Schedule work @ above/below on RUIDP 2023 electric with JMC terms and conditions..

H-Schedule Item -1.....Each
H-Schedule Item -2.....Each

Signature of Contractor

